

System 3, Proof Coil Chain (Grade 30)

Chain



- Uses: Excellent general-purpose chain of standard commercial quality
- Frequently used for fabricating tow chains, binding or tie down chains and logging chains
- Standard Material: Low carbon steel
- Standard Finish: Self Colored (S.C.) or Galvanized (GALV); also available Zinc Plated (Z.P.) 3/16" through 1/2"; and polycoated
- Hallmarking: "C3" or "M3" on 5/16" (8mm) and larger
- Proof tested
- Packaging: Drums and half drums (order unit is "feet"), pails and refill reels to fit Campbell merchandisers (order unit is "each")
- **Do not use for overhead lifting**

Drums, System 3, Proof Coil Chain (Order Unit is "Feet")

Nominal Dimensions (in. and mm)														Working Load Limit		Length/ ft. per drum	Lb/ 100'	Links/ ft.
Trade Size	Mat. Dia.		Inside Dimensions			Self Colored		Zinc Plated		Galvanized								
in. mm	in. mm	in. mm	Length in. mm	Width in. mm		Cat. No.	UPC No. 020418	Cat. No.	UPC No. 020418	Cat. No.	UPC No. 020418	lb	kg					
1/8	4	.16	4	.89	23	.29	7	0120202	056932	--	--	0120232	056949	400	180	1000	19	13.5
3/16	6	.21	6	.95	24	.34	9	0120302	056970	0120322	057007	0120332	057045	800	365	1000	35	12.6
1/4	7	.26	7	1.20	30	.45	11	0120402	057076	0120422	057106	0120432	057144	1300	580	800	56	10.0
5/16	8	.31	8	1.27	32	.47	12	0120502	057205	0120522	057243	0120532	057281	1900	860	550	83	9.4
3/8	10	.37	10	1.36	35	.57	14	0120602	057335	0120622	057373	0120632	057410	2650	1200	400	125	8.8
7/16	12	.47	12	1.37	35	.75	19	--	--	--	--	0120732	057489	3700	1680	300	210	8.8
1/2	13	.48	13	1.70	43	.75	19	0120802	057502	0120822	057526	0120832	057557	4500	2030	200	238	7.1
5/8	16	.66	17	2.10	53	.87	22	0121002	057595	--	--	0121032	057618	6900	3130	150	390	5.7
3/4	20	.78	20	2.70	69	1.02	26	0121202	057632	--	--	0121232	057656	10,600	4800	100	536	4.4

Half Drums, System 3, Proof Coil Chain (Order Unit is "Feet")

Nominal Dimensions (in. and mm)														Working Load Limit		Length/ ft. per drum	Lb/ 100'	Links/ ft.
Trade Size	Mat. Dia.		Inside Dimensions			Self Colored		Zinc Plated		Galvanized								
in. mm	in. mm	in. mm	Length in. mm	Width in. mm		Cat. No.	UPC No. 020418	Cat. No.	UPC No. 020418	Cat. No.	UPC No. 020418	lb	kg					
3/16	6	.21	6	.95	24	.34	9	0120300	056956	--	--	0120330	057021	800	365	500	35	12.6
1/4	7	.26	7	1.20	30	.45	11	0120400	057052	--	--	0120430	057120	1300	580	400	56	10.0
5/16	8	.31	8	1.27	32	.47	12	0120500	057182	--	--	0120530	057267	1900	860	275	83	9.4
3/8	10	.37	10	1.36	35	.57	14	0120600	057311	--	--	0120630	057397	2650	1200	200	125	8.8

⚠ ADVERTENCIA

Para prevenir la posibilidad de una lesión personal sería:

- **NO EXCEDA** los límites de carga de las cadenas o componentes.
- **NO LA UTILICE** para cargar hacia arriba o para izar.
- **NO LA UTILICE** si la cadena o los componentes están visualmente distorsionados o gastados.

⚠ WARNING

To prevent the possibility of serious bodily injury:

- **DO NOT EXCEED** the working load limits for chain or components.
- **DO NOT USE** for overhead lifting or hoisting.
- **DO NOT USE** if the chain or components are visibly distorted or worn.

Round Pails, System 3, Proof Coil Chain (Order Unit is "Each Pail")

Nominal Dimensions (in. and mm)												Self Colored		Zinc Plated		Galvanized		Working Load Limit		Ft. per pail ‡	Lb/ pail	Links/ ft.
Trade Size	Mat. Dia.		Inside Dimensions				Cat. No.	UPC No. 020418	Cat. No.	UPC No. 020418	Cat. No.	UPC No. 020418	lb	kg								
in. mm	in.	mm	in.	mm	in.	mm	in.	mm														
3/16	6	.21	6	.95	24	.34	9	--	--	0140323	057991	0140333	058004	800	365	250	88	12.6				
1/4	7	.26	7	1.20	30	.45	11	0120402	057076	0120422	057106	0120432	057144	1300	580	800	56	10.0				
5/16	8	.31	8	1.27	32	.47	12	0120502	057205	0120522	057243	0120532	057281	1900	860	550	83	9.4				
3/8	10	.37	10	1.36	35	.57	14	0120602	057335	0120622	057373	0120632	057410	2650	1200	400	125	8.8				
7/16	12	.47	12	1.37	35	.75	19	--	--	--	--	0120732	057489	3700	1680	300	210	8.8				
1/2	13	.48	13	1.70	43	.75	19	0120802	057502	0120822	057526	0120832	057557	4500	2030	200	238	7.1				
5/8	16	.66	17	2.10	53	.87	22	0121002	057595	--	--	0121032	057618	6900	3130	150	390	5.7				
3/4	20	.78	20	2.70	69	1.02	26	0121202	057632	--	--	0121232	057656	10,600	4800	100	536	4.4				

‡ Approximate.

Square Pails, System 3, Proof Coil Chain (Order Unit is "Each Pail")

Nominal Dimensions (in. and mm)												Zinc Plated		Galvanized		Working Load Limit		Ft. per pail ‡	Lb/ pail	Links/ ft.
Trade Size	Mat. Dia.		Inside Dimensions				Cat. No.	UPC No. 020418	Cat. No.	UPC No. 020418	lb	kg								
in. mm	in.	mm	in.	mm	in.	mm	in.	mm												
1/8	4	.16	4	.89	23	.29	7	0143226	190360	--	--	400	180	200	38	13.5				
1/8	4	.16	4	.89	23	.29	7	--	--	0143236	189326	400	180	325	62	13.5				
3/16	6	.21	6	.95	24	.34	9	0143326	183058	0143336	183065	800	365	150	53	12.6				
1/4	7	.26	7	1.20	30	.45	11	0143426	183072	0143436	183089	1300	580	100	56	10.0				
5/16	8	.31	8	1.27	32	.47	12	0143526	183096	0143536	183102	1900	860	75	62	9.4				
3/8	10	.37	10	1.36	35	.57	14	0143626	183119	0143636	183126	2650	1200	45	56	8.8				

‡ Approximate.

Square Pails, System 3, Proof Coil Chain (Order Unit is "Each Pail")

Nominal Dimensions (in. and mm)												Polycoated**		Working Load Limit		Ft. per pail ‡	Lb/ pail	Links/ ft.
Trade Size	Mat. Dia.		Inside Dimensions				Cat. No.	UPC No. 020418	lb	kg								
in. mm	in.	mm	in.	mm	in.	mm												
5/16	8	.31	8	1.27	32	.47	12	HV0142526	187940	1900	860	75	62	9.4				

** Hi-visibility orange polycoated. ‡ Approximate.

⚠ ADVERTENCIA

Para prevenir la posibilidad de una lesión personal seria:

- **NO EXCEDA** los límites de carga de las cadenas o componentes.
- **NO LA UTILICE** para cargar hacia arriba o para izar.
- **NO LA UTILICE** si la cadena o los componentes están visualmente distorsionados o gastados.

⚠ WARNING

To prevent the possibility of serious bodily injury:

- **DO NOT EXCEED** the working load limits for chain or components.
- **DO NOT USE** for overhead lifting or hoisting.
- **DO NOT USE** if the chain or components are visibly distorted or worn.

Square Pails, Anchor lead, System 3, Proof Coil Chain (Order Unit is "Each Pail")

Nominal Dimensions (in. and mm)												Galvanized & PolyCoated**		Working Load Limit		Ft. per pail ‡	Lb/ pail	Links/ ft.
Trade Size		Mat. Dia.		Inside Dimensions				Cat. No.	UPC No. 020418	lb	kg							
in.	mm	in.	mm	Length		Width												
				in.	mm	in.	mm											
5/16	8	.31	8	1.27	32	.47	12	0200356	183881	1900	860	75	62	9.4				

** White polycoated. ‡ Approximate.

Reels, System 3, Proof Coil Chain (Order Unit is "Each Reel")

Nominal Dimensions (in. and mm)												Zinc Plated		Polycoated Yellow		Working Load Limit		Feet/ Reel	Lb/ Reel	Reel Width in.
Trade Size		Mat. Dia.		Inside Dimensions				Cat. No.	UPC No. 020418	Cat. No.	UPC No. 020418	lb	kg							
in.	mm	in.	mm	Length		Width														
				in.	mm	in.	mm													
3/16	6	.21	6	.95	24	.34	9	0725027	064982	PD0725027	184642	800	365	100	35	10.75				
1/4	7	.26	7	1.20	30	.45	11	0722127	183270	--	--	1300	580	65	36	10.75				
1/4	7	.26	7	1.20	30	.45	11	--	--	PD0722127	183393	1300	580	60	36	10.75				
5/16	8	.31	8	1.27	32	.47	12	0722227	183287	--	--	1900	860	60	50	10.75				
3/8	10	.37	10	1.36	35	.57	14	0722327	183294	--	--	2650	1200	35	44	10.75				

Drums, Marine, Proof Coil Chain (Order Unit is "Feet")



Drums



- An excellent low-carbon steel chain made with a shorter link length than standard proof coil
- Packaging: Drums (order unit is "feet")
- Standard finish: Hot Dipped Galvanized (GALV)
- Proof tested

Nominal Dimensions (in. and mm)												Working Load Limit		Feet/ Drum	Lb/ 100'	Links/ foot
Trade Size		Mat. Dia.		Inside Dimensions				Cat. No.	UPC No. 020418	lb	kg					
in.	mm	in.	mm	Length		Width										
				in.	mm	in.	mm									
Hot Dipped Galvanized																
1/4	7	.28	7	1.00	25	.50	13	0128132	170645	1300	590	800	73	12		
5/16	8	.34	9	1.10	28	.50	13	0128232	170652	1900	862	550	102	11		
3/8	10	.41	10	1.23	31	.62	16	0128332	170669	2650	1202	400	160	9.7		
1/2	13	.53	13	1.50	38	.81	21	0128432	170676	4500	2041	200	277	7.8		
Self-colored																
1/4	7	.28	7	1.00	25	.50	13	0128102Δ	182969	1300	590	800	73	12		
5/16	8	.34	9	1.10	28	.50	13	0128202Δ	182976	1900	862	550	102	11		
3/8	10	.41	10	1.23	31	.62	16	0128302Δ	182983	2650	1202	400	160	9.7		

Δ These items are made to order.

⚠ ADVERTENCIA

Para prevenir la posibilidad de una lesión personal sería:

- **NO EXCEDA** los límites de carga de las cadenas o componentes.
- **NO LA UTILICE** para cargar hacia arriba o para izar.
- **NO LA UTILICE** si la cadena o los componentes están visualmente distorsionados o gastados.

⚠ WARNING

To prevent the possibility of serious bodily injury:

- **DO NOT EXCEED** the working load limits for chain or components.
- **DO NOT USE** for overhead lifting or hoisting.
- **DO NOT USE** if the chain or components are visibly distorted or worn.